

EXHIBIT G-2
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST Richard J. Byrne III AGENCY AZ DPS

DATE 02/23/10 TIME 0754

INTOXILYZER SERIAL # 80-000929 DPS LOCATION WICKENBURG PD

- RB* 1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution .100 AC.
Pour a standard alcohol concentration solution ^{OR} N/A AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
- RB* 2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
- RB* 3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
- RB* 4. Air blank completed.
- RB* 5. Calibration check completed. Test results 0. 100 AC.
- RB* 6. Air blank completed.
- RB* 7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE Richard J. Byrne III #6386

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number: 80-000929

02/23/2010

07:54:57

Standard Lot#: 590854

Last Changed By: P. BYRNE, III #6386

QAS: P. BYRNE, III #6386

AGDP3

Test	g/21CL	Time
Air Blank	0.000	07:55:05
Cal Check	0.100	07:55:13
Air Blank	0.000	07:55:57

 #6386

Operator's Signature

EXHIBIT G-4
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD QUALITY ASSURANCE PROCEDURE

QA SPECIALIST RICHARD J. BYRNE III AGENCY AZ DPS

DATE 02/23/10 TIME 0759

INTOXILYZER SERIAL # 80-00929 DPS LOCATION WICKENBURG P.D.

HB 1. Display Reads "PUSH BUTTON TO START"

DIAGNOSTIC TESTS

- HB 1. Clock time check.
HB 2. Date check.

OPERATIONAL TESTS

- HB 1. Alcohol-free subject test result 0. _____ AC.
HB 2. Error recognition logic system functioning.
Not a Successfully Completed Test Sequence printed
HB 3. Proper sample recognition system.
Not a Successfully Completed Test Sequence printed
Deficient sample printed.
HB 4. Standard Calibration Check standard 0. 100 AC. Result 0. 099 AC.

Instrument is operating properly and accurately. YES HB NO _____

COMMENTS

LOT #590854 03/05/11 EXP

90 DAY TO REMOVE INTOX FROM SERVICE FOR SOFTWARE UPDATE

SIGNATURE Richard J. Byrne III #6386

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number : 80-000929

02/23/2010

07:59:40

Standard Lot#: 590854

Last Changed By: R. BYRNE, III #6386

QAS: R. BYRNE, III #6386

AZDPS

Operator: R. BYRNE, III #6386

AZDPS

Subject: SOAP, TEST

DOB: 08/08/1968

Sex: M

Weight: 185

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	08:00:49
Diagnostic Test	Pass	08:01:04
Air Blank	0.000	08:01:25
0.100 Cal Check	0.099	08:01:54
Air Blank	0.000	08:02:23
Subject Test	0.000	08:02:47
Air Blank	ABT*	08:02:53
Air Blank	0.000	08:03:22

*Sequence Aborted

Not a Successfully Completed Test Sequence

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number : 80-000929

02/23/2010

08:03:46

Standard Lot#: 590854

Last Changed By: R. BYRNE, III #6386

QAS: R. BYRNE, III #6386

AZDPS

Operator: R. BYRNE, III #6386

AZDPS

Subject: SQAP, TEST

DOB: 08/08/1968

Sex: M

Weight: 185

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	IPS*	08:04:33
Air Blank	RFI**	08:04:42

*Improper Sample

**RFI Detect

Not a Successfully Completed Test Sequence

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number : 80-000929

02/23/2010

08:05:09

Standard Lot#: 590354

Last Changed By: R. BYRNE, III #6386

QAS: R. BYRNE, III #6386

AZDPS

Operator: R. BYRNE, III #6386

AZDPS

Subject: SQAP, TEST

DOB: 08/08/1968

Sex: M

Weight: 185

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	08:06:00
Diagnostic Test	Pass	08:06:00
Air Blank	0.000	08:07:00
0.100 Cal Check	0.100	08:07:00
Air Blank	0.000	08:07:00
Subject Test	0.152*	08:10:00
Air Blank	0.000	08:11:00
Air Blank	0.000	08:11:00
Subject Test	XXX**	08:12:00
Air Blank	0.000	08:12:00

*Deficient Sample

**Invalid Sample

Begin new deprivation period

Not a Successfully Completed Test Sequence

EXHIBIT G-2
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST RICHARD J. BYRNE III AGENCY AZ DPS

DATE 02/23/10 TIME _____

INTOXILYZER SERIAL # 80-000929 DPS LOCATION WICKENBURG P.D.

- RS* 1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution .100 AC.
OR
Pour a standard alcohol concentration solution 1.18 AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
- RS* 2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
- RS* 3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
- RS* 4. Air blank completed.
- RS* 5. Calibration check completed. Test results 0.099 AC.
- RS* 6. Air blank completed.
- RS* 7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE Richard J. Byrne III

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number: 80-000929

02/23/2010

02:11:12

Standard Code: 570254

Last Changed by: R. MYRNE, T11 46386

QAS: R. MYRNE C1 46386

ADPS

Test	g/210L	Time
Air Blank	0.000	02:16:00
Cal Check	0.000	02:17:00
Air Blank	0.000	02:18:00

Rickard Byrne III
Operator's Signature

6386

EXHIBIT G-2
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)
ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST RICHARD J. BYRNE AGENCY AZ DPS
 DATE 02/23/10 TIME 1237
 INTOXILYZER SERIAL # 80-000928 LOCATION PHX INTOX UNIT

Handwritten initials and scribbles on the left margin.

1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution .100 AC.
 OR
 Pour a standard alcohol concentration solution N/A AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach 34°C ± 0.2°C
2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
4. Air blank completed.
5. Calibration check completed. Test results 0.102 AC.
6. Air blank completed.
7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE *Richard J. Byrne III* # 6386

DPS Form Exh G-2 (Rev 05-01)

INTOXILYZER 8000
 LOCATION: WICKENSUNG PG
 Serial Number: 80-000928
 Core Version: 8105.49
 02/23/2010
 12:37:46
 Standard Lot#: 590854
 Last Charged By: R. BYRNE, III #6386
 OAS: R. BYRNE, III #6386
 AZDPS
 Operator: R. BYRNE, III #6386
 AZDPS
 Test 9/21/0L Time
 Air Blank 0.000 12:38:25
 0.100 Cal Check 0.102 12:38:45
 Air Blank 0.000 12:39:15
 Preventative Maintenance
 Performed -- Timer Reset

EXHIBIT G-2
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST RICHARD J. BYRNE III AGENCY AZ DPS

DATE 02/23/10 TIME 1441

INTOXILYZER SERIAL # 80-000929 DPS LOCATION WICKENBURG PD

- (AB) 1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution .100 AC.
OR
Pour a standard alcohol concentration solution N/A AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
- (AB) 2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
- (AB) 3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
- (AB) 4. Air blank completed.
- (AB) 5. Calibration check completed. Test results 0.101 AC.
- (AB) 6. Air blank completed.
- (AB) 7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE Richard J. Byrne III # 6386

1111111

IDENTIFICATION 8000
Instrument: 00000000000000
Serial Number: 00000000
Code Version: 00000000
02/23/2010

Operator: R. PYNNE, 111 8000
0000

Operator: R. PYNNE, 111 8000
0000

A	0.100	0.000
Acc Blank	0.000	0.000
0.100 Cal Check	0.000	0.000
Acc Blank	0.000	0.000

Printed at: 02/23/2010 10:00 AM
By: R. PYNNE

EXHIBIT G-4
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY

STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000

STANDARD QUALITY ASSURANCE PROCEDURE

QA SPECIALIST RICHARD J. BYRNE AGENCY AZ DPS

DATE 02/23/10 TIME 1443

INTOXILYZER SERIAL # 80-000929 DPS LOCATION WICKENBURG P.D.

RB 1. Display Reads "PUSH BUTTON TO START"

DIAGNOSTIC TESTS

- RB
RB 1. Clock time check.
RB 2. Date check.

OPERATIONAL TESTS

- RB 1. Alcohol-free subject test result 0. 000 AC.
RB 2. Error recognition logic system functioning.
Not a Successfully Completed Test Sequence printed
RB 3. Proper sample recognition system.
Not a Successfully Completed Test Sequence printed
Deficient sample printed.
() 4. Standard Calibration Check standard 0. 100 AC. Result 0. 100 AC.

Instrument is operating properly and accurately. YES RB NO _____

COMMENTS

LOT # 590854 EXP 03/05/11

INTOX BACK IN SERVICE AFTER SOFTWARE UPDATE

SIGNATURE Richard J. Byrne # 6386

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number: 80-000929

Core Version: 8105.48

02/23/2010

14:43:46

Standard Lot#: 590854

Last Changed By: R. BYRNE, III #6386

OAS: R. BYRNE, III #6386

AZDPS

Operator: R. BYRNE, III #6386

AZDPS

Subject: SQAP,TEST

DOB: 08/08/1968

Sex: M

Weight: 185

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	14:44:44
Diagnostic Test	Pass	14:45:19
Air Blank	0.000	14:45:19
0.100 Cal Check	0.100	14:46:07
Air Blank	0.000	14:46:37
Subject Test	0.000	14:46:57
Air Blank	ABT*	14:47:03
Air Blank	0.000	14:47:32

*Sequence Aborted

Not a Successfully Completed Test Sequence

INTOXILYZER 8000

Location: WICKENBURG PD

Serial Number: 80-000929

Core Version: 8105.48

02/23/2010

14:47:51

Standard Lot#: 590854

Last Changed By: R. BYRNE, III #6386

OAS: R. BYRNE, III #6386

AZDPS

Operator: R. BYRNE, III #6386

AZDPS

Subject: SOAP, TEST

DOB: 08/08/1968

Sex: F Weight: 185

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	IPS*	14:48:30
Air Blank	RFI**	14:48:30

*Improper Sample

**RFI Detect

Not a Successfully Completed Test Sequence

INTOXILYZER 8000
Location: WICKENBURG PD
Serial Number: 80-000929
Core Version: 8105.48
01/23/2010

14:48:56

Standard Lot#: 590854
Last Changed By: R. BYRNE, III 46386

QAS: R. BYRNE, III 46386
AZDES

Operator: R. BYRNE, III 46386
AZDES

Subject: SQAP, TEST
DOB: 08/08/1968
Sex: M Weight: 185

15 Minute Deprivation Period? Yes

Test	g/dL	Time
Air Blank	0.000	14:49:11
Diagnostic Test	Pass	14:50:11
Air Blank	0.000	14:50:11
0.100 Cal Check	0.100	14:51:11
Air Blank	0.000	14:51:11
Subject Test	0.185*	14:51:11
Air Blank	0.000	14:52:11
Air Blank	0.000	14:52:11
Subject Test	XXX**	14:52:11
Air Blank	0.000	14:53:11

*Deficient Sample

**Invalid Sample

Begin new deprivation period

Not a Successfully Completed Test Segment

EXHIBIT G-2
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY
STANDARD QUALITY ASSURANCE PROCEDURES
INTOXILYZER MODEL 8000
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST RICHARD J BYRNE AGENCY AZ DPS

DATE 02/23/10 TIME 1458

INTOXILYZER SERIAL # 80-000929 DPS LOCATION WICKENBUAC P.D.

1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution .100 AC.
OR
Pour a standard alcohol concentration solution 11% AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
4. Air blank completed.
5. Calibration check completed. Test results 0.100 AC.
6. Air blank completed.
7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE Richard J Byrne # 6386

1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10

1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10
1954 10 10 10

Item	Quantity	Price
1000 Call Check	0.000	100.00
1000 Blank	0.000	100.00

1954 10 10 10
1954 10 10 10