

# PROPERTY INVOICE AND RECEIPT

<b>NOTE: FILL IN EVERY SPACE UNLESS THE INFORMATION IS NOT AVAILABLE PRINT LEGIBLY IN INK.</b>	<b>TYPE OF PROPERTY (Circle One Only)</b> <input checked="" type="radio"/> EVIDENCE <input type="radio"/> SAFEKEEPING <input type="radio"/> FOUND	<b>DATE AND TIME PROPERTY SEIZED</b> 07/16/08    2:11 PM
<b>NAME OF VICTIM OR OWNER (LAST, FIRST, MIDDLE)</b> COTTONWOOD PD	<b>ADDRESS</b> 199 S. 6TH ST, COTTONWOOD, AZ 86026	<b>TELEPHONE</b> 123 456 789
<b>NAME OF PERSON ARRESTED, OR SUSPECT (LAST, FIRST, MIDDLE)</b>	<b>ADDRESS</b>	<b>D.R. NUMBER</b> W08-011-911
<b>NAME OF PERSON ARRESTED, OR SUSPECT (LAST, FIRST, MIDDLE)</b>	<b>ADDRESS</b>	<b>TELEPHONE</b> D.O.B.
<b>NAME OF FINDER OR PERSON REPORTING FOUND PROPERTY</b>	<b>ADDRESS</b>	<b>TELEPHONE</b> CITATION #
<b>CHARGES</b>	<b>FINDER WILL CLAIM PROPERTY</b> YES <input type="radio"/> NO <input checked="" type="radio"/>	<b>LAB TEST</b> YES <input type="radio"/> NO <input type="radio"/>

### NOTIFICATION FOR RETURN OF PERSONAL PROPERTY

You are responsible for claiming your personal property within 90 days from the above date. The property will be disposed of by the Cottonwood Police Department, if no claim is made prior to that date.

ADVANCE AUTHORIZATION IS REQUIRED IF YOU WISH TO DESIGNATE ANOTHER PERSON TO RECEIVE YOUR PROPERTY.

\_\_\_\_\_  
SIGNATURE

BRIEF SYNOPSIS OF OCCURRENCE: (Also use this space for additional suspects or victims)			
90 DAY SOAP			
<b>ITEMIZE AND DESCRIBE PROPERTY</b> LIST ONLY ONE ITEM PER LINE. NUMBER EACH ITEM ON THE FORM. - Where possible, place each item in plastic bag, and attach property tag to outside of bag.			
ITEM	DESCRIPTION	SERIAL #	PROPERTY #
1	SOAP PAPER WORK		65055
Placed in Property Locker # <u>1</u>		Date <u>7/16/08</u>	Time <u>2:50 PM</u>
OFFICER: <u>H. Miller</u>		SERIAL: <u>4619</u>	PAGE <u>1</u> OF <u>1</u>
DISPOSITION OF PROPERTY: Property Items Were:			
1. Returned to Owner 2. Destroyed		3. Sold at Auction 4. T.O.T. City	
5. Left at Court 6. Unable to Locate			
Received By: <u>H. Miller</u>	Date: <u>7/18/08</u>	Time: <u>10:25</u>	Remarks:
Property Location: <u>Driver</u>			

EXHIBIT G-4  
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY  
STANDARD QUALITY ASSURANCE PROCEDURES  
INTOXILYZER MODEL 8000

STANDARD QUALITY ASSURANCE PROCEDURE

QA SPECIALIST M. WATSON AGENCY COTTONWOOD PD  
DATE 07/16/08 TIME 2117 HRS  
INTOXILYZER SERIAL # 80-000933 LOCATION COTTONWOOD PD

~~(initials)~~ 1. Display Reads "PUSH BUTTON TO START"

DIAGNOSTIC TESTS

- ~~(initials)~~ 1. Clock time check.  
~~(initials)~~ 2. Date check.

OPERATIONAL TESTS

- ~~(initials)~~ 1. Alcohol-free subject test result 0. 000 AC.  
~~(initials)~~ 2. Error recognition logic system functioning.  
Not a Successfully Completed Test Sequence printed  
~~(initials)~~ 3. Proper sample recognition system.  
Not a Successfully Completed Test Sequence printed  
Deficient sample printed.  
~~(initials)~~ 4. Standard Calibration Check standard 0. 100 AC. Result 0. 098 AC.

Instrument is operating properly and accurately. YES  NO

COMMENTS

---

---

---

---



SIGNATURE 

EXHIBIT G-2  
THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

ARIZONA DEPARTMENT OF PUBLIC SAFETY  
STANDARD QUALITY ASSURANCE PROCEDURES  
INTOXILYZER MODEL 8000  
STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST M. WATSON AGENCY COTTONWOOD PD  
DATE 07/16/08 TIME 2138 HRS  
INTOXILYZER SERIAL # 80-000 933 LOCATION COTTONWOOD PD

- ~~SMN~~ 1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution 0.100 AC.  
OR  
Pour a standard alcohol concentration solution \_\_\_\_\_ AC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach  $34^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$
- ~~SMN~~ 2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"
- ~~SMN~~ 3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.
- ~~SMN~~ 4. Air blank completed.
- ~~SMN~~ 5. Calibration check completed. Test results 0.098 AC.
- ~~SMN~~ 6. Air blank completed.
- ~~SMN~~ 7. Remove printed record. Attach the record to the completed checklist.

SIGNATURE OFC 

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008

21:19:08

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	0.000	21:20:23
Diagnostic Test	Pass	21:20:50
Air Blank	0.000	21:21:18
0.100 Cal Check	0.098	21:21:36
Air Blank	0.000	21:22:06
Subject Test	0.000	21:22:27
Air Blank	0.000	21:22:54
Five Minute Wait	ABT*	
Air Blank	0.000	21:23:30

\*Sequence Aborted

**Not a Successfully Completed Test Sequence**

80-000933

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:19:08

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	0.000	21:20:23
Diagnostic Test	Pass	21:20:50
Air Blank	0.000	21:21:18
0.100 Cal Check	0.098	21:21:36
Air Blank	0.000	21:22:06
Subject Test	0.000	21:22:27
Air Blank	0.000	21:22:54
Five Minute Wait	ABT*	
Air Blank	0.000	21:23:30

\*Sequence Aborted

**Not a Successfully Completed Test Sequence**

808-006911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:19:08

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	0.000	21:20:23
Diagnostic Test	Pass	21:20:50
Air Blank	0.000	21:21:18
0.100 Cal Check	0.098	21:21:36
Air Blank	0.000	21:22:06
Subject Test	0.000	21:22:27
Air Blank	0.000	21:22:54
Five Minute Wait	ABT*	
Air Blank	0.000	21:23:30

\*Sequence Aborted

**Not a Successfully Completed Test Sequence**

80-000933

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:25:41

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	IPS*	21:26:21
Air Blank	0.000	21:26:50

\*Improper Sample

**Not a Successfully Completed Test Sequence**

W08-006911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:25:41

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	IPS*	21:26:21
Air Blank	0.000	21:26:50

\*Improper Sample

**Not a Successfully Completed Test Sequence**

*W08-00691*

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:25:41

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	IPS*	21:26:21
Air Blank	0.000	21:26:50

\*Improper Sample

**Not a Successfully Completed Test Sequence**

W08-006911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:27:18

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	RFI*	21:28:24
Air Blank	0.000	21:28:52

\*RFI Detect

**Not a Successfully Completed Test Sequence**

W08-026911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:27:18

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP, TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	RFI*	21:28:24
Air Blank	0.000	21:28:52

\*RFI Detect

**Not a Successfully Completed Test Sequence**

80-000933

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008

21:27:18

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	RFI*	21:28:24
Air Blank	0.000	21:28:52

\*RFI Detect

**Not a Successfully Completed Test Sequence**

W08-006911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:29:29

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST

DOB: 01/01/1911

Sex: M

Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	0.000	21:30:21
Diagnostic Test	Pass	21:30:49
Air Blank	0.000	21:31:16
0.100 Cal Check	0.098	21:31:35
Air Blank	0.000	21:32:04
Subject Test	0.136*	21:35:13
Air Blank	0.000	21:35:44
Air Blank	0.000	21:36:12
Subject Test	XXX**	21:36:35
Air Blank	0.000	21:37:08

\*Deficient Sample

\*\*Invalid Sample

Begin new deprivation period

**Not a Successfully Completed Test Sequence**

208-000911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008 21:29:29

---

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

---

QAS: R. SCARIM #592  
COTTONWOOD PD

---

Operator: M. WATSON #609  
COTTONWOOD PD

---

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

---

15 Minute Deprivation Period? Yes

---

Test	g/210L	Time
Air Blank	0.000	21:30:21
Diagnostic Test	Pass	21:30:49
Air Blank	0.000	21:31:16
0.100 Cal Check	0.098	21:31:35
Air Blank	0.000	21:32:04
Subject Test	0.136*	21:35:13
Air Blank	0.000	21:35:44
Air Blank	0.000	21:36:12
Subject Test	XXX**	21:36:35
Air Blank	0.000	21:37:08

\*Deficient Sample  
\*\*Invalid Sample  
Begin new deprivation period

**Not a Successfully Completed Test Sequence**

W08-006911

INTOXILYZER 8000  
Location: COTTONWOOD PD  
Serial Number : 80-000933  
07/16/2008

21:29:29

Standard Lot#: 804301I  
Last Changed By: R. SCARIM #592

QAS: R. SCARIM #592  
COTTONWOOD PD

Operator: M. WATSON #609  
COTTONWOOD PD

Subject: SQAP,TEST  
DOB: 01/01/1911  
Sex: M Weight: 111

15 Minute Deprivation Period? Yes

Test	g/210L	Time
Air Blank	0.000	21:30:21
Diagnostic Test	Pass	21:30:49
Air Blank	0.000	21:31:16
0.100 Cal Check	0.098	21:31:35
Air Blank	0.000	21:32:04
Subject Test	0.136*	21:35:13
Air Blank	0.000	21:35:44
Air Blank	0.000	21:36:12
Subject Test	XXX**	21:36:35
Air Blank	0.000	21:37:08

\*Deficient Sample

\*\*Invalid Sample

Begin new deprivation period

**Not a Successfully Completed Test Sequence**

W08-006911

INTOXILYZER 8000

Location: COTTONWOOD PD

Serial Number: 80-000933

07/16/2008

21:38:28

-----  
Standard Lot#: 804301I

Last Changed By: R. SCARIM #592


-----  
QAS: M. WATSON #609

COTTONWOOD PD

-----

Test	g/210L	Time
Air Blank	0.000	21:38:56
Cal Check	0.098	21:39:15
Air Blank	0.000	21:39:44

-----

*OF*   
-----  
Operator's Signature

80-000933